

10  $\mu\text{m}$

Mag = 6.00 K X


EHT = 5.00 kV Signal A = SE2

Date :23 Oct 2013

WD = 4 mm

File Name = R12\_01.tif





10  $\mu$ m

Mag = 6.00 K X


EHT = 5.00 kV Signal A = SE2

Date :23 Oct 2013


WD = 4 mm

File Name = R12\_02.tif





10  $\mu$ m



Mag = 6.00 K X


WD = 4 mm

EHT = 5.00 kV Signal A = SE2

File Name = R12\_03.tif

Date :23 Oct 2013





10  $\mu\text{m}$

Mag = 6.00 K X


EHT = 5.00 kV Signal A = SE2

Date :23 Oct 2013

WD = 4 mm

File Name = R12\_04.tif





10  $\mu$ m



Mag = 6.00 K X


WD = 4 mm

EHT = 5.00 kV Signal A = SE2

File Name = R12\_05.tif

Date :23 Oct 2013





10  $\mu$ m

Mag = 6.00 K X


WD = 4 mm

EHT = 5.00 kV Signal A = SE2

File Name = R12\_06.tif

Date :23 Oct 2013





10  $\mu\text{m}$

Mag = 6.00 K X

EHT = 5.00 kV Signal A = SE2

Date :23 Oct 2013


WD = 4 mm

File Name = R12\_07.tif





10  $\mu$ m



Mag = 6.00 K X

WD = 4 mm


EHT = 5.00 kV Signal A = SE2

File Name = R12\_08.tif


Date :23 Oct 2013







10  $\mu$ m



Mag = 6.00 K X


WD = 4 mm

EHT = 5.00 kV Signal A = SE2


File Name = R12\_09.tif

Date :23 Oct 2013





10  $\mu$ m



Mag = 6.00 K X


WD = 4 mm

EHT = 5.00 kV Signal A = SE2

File Name = R12\_10.tif

Date :23 Oct 2013





1  $\mu\text{m}$

Mag = 5.00 K X


EHT = 4.50 kV

Signal A = SE2 Date : 3 Oct 2017

WD = 4.9 mm

File Name = R12\_11.tif





200 nm  
└─┘

Mag = 30.00 K X

EHT = 4.50 kV

Signal A = SE2 Date :3 Oct 2017

WD = 4.9 mm

File Name = R12\_12.tif





100 nm

Mag = 200.00 K X


EHT = 4.50 kV

Signal A = SE2 Date :3 Oct 2017

WD = 4.9 mm

File Name = R12\_13.tif





300 nm  
└───┘

Mag = 25.00 K X


EHT = 4.50 kV

Signal A = SE2 Date : 3 Oct 2017

WD = 4.9 mm

File Name = R12\_14.tif





200 nm  
└─┘

Mag = 30.00 K X


EHT = 4.50 kV

Signal A = SE2 Date :3 Oct 2017

WD = 4.9 mm

File Name = R12\_15.tif





200 nm  
└─┘

Mag = 30.00 K X

EHT = 4.50 kV


Signal A = SE2 Date : 3 Oct 2017

WD = 4.9 mm

File Name = R12\_16.tif







1  $\mu\text{m}$

Mag = 20.00 K X


EHT = 4.50 kV

Signal A = SE2 Date :3 Oct 2017

WD = 4.9 mm

File Name = R12\_17.tif





300 nm  
└───┘

Mag = 25.00 K X


EHT = 4.50 kV

Signal A = SE2 Date :3 Oct 2017

WD = 4.9 mm

File Name = R12\_18.tif





200 nm  
└─┘

Mag = 30.00 K X


EHT = 4.50 kV

Signal A = SE2 Date :3 Oct 2017

WD = 4.9 mm

File Name = R12\_19.tif





1  $\mu\text{m}$

Mag = 20.00 K X


EHT = 4.50 kV

Signal A = SE2 Date : 3 Oct 2017

WD = 4.9 mm

File Name = R12\_20.tif





200 nm  
└─┘

Mag = 30.00 K X


EHT = 4.50 kV

Signal A = SE2 Date :3 Oct 2017

WD = 4.9 mm

File Name = R12\_21.tif





200 nm  
└─┘

Mag = 30.00 K X


EHT = 4.50 kV

Signal A = SE2 Date : 3 Oct 2017

WD = 4.9 mm

File Name = R12\_22.tif





1  $\mu\text{m}$

Mag = 8.00 K X

EHT = 4.50 kV

Signal A = SE2 Date :3 Oct 2017

WD = 4.9 mm

File Name = R12\_23.tif

