

1  $\mu$ m  
|

Mag = 5.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_01.tif





1  $\mu$ m  
|-----|

Mag = 6.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 5.0 mm

File Name = TCC487\_02.tif





1  $\mu$ m  
|-----|

Mag = 6.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_03.tif





1  $\mu$ m  
|-----|

Mag = 6.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 5.0 mm

File Name = TCC487\_04.tif





1  $\mu$ m  
|-----|

Mag = 6.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_05.tif





1  $\mu$ m  
|-----|

Mag = 6.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_06.tif





1  $\mu$ m  
|-----|

Mag = 6.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_07.tif





1  $\mu$ m  
|-----|

Mag = 6.00 K X

EHT = 5.00 kV


Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_08.tif







1  $\mu$ m  
|

Mag = 6.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_09.tif





1  $\mu$ m  
|-----|

Mag = 6.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020


WD = 4.9 mm

File Name = TCC487\_10.tif





200 nm



Mag = 16.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020


WD = 4.9 mm

File Name = TCC487\_11.tif





200 nm



Mag = 16.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_12.tif





1  $\mu$ m  
|-----|

Mag = 7.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_13.tif





100 nm

H

Mag = 20.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_14.tif





100 nm



Mag = 50.00 K X


EHT = 5.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_15.tif





100 nm



Mag = 25.00 K X

EHT = 7.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_16.tif







1  $\mu$ m  
|

Mag = 5.00 K X

EHT = 7.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_17.tif





1  $\mu$ m  
|-----|

Mag = 6.00 K X


EHT = 7.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_18.tif





1  $\mu$ m  
|-----|

Mag = 6.00 K X


EHT = 7.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_18.tif





100 nm



Mag = 25.00 K X


EHT = 7.00 kV

Signal A = SE2 Date : 4 Mar 2020


WD = 4.9 mm

File Name = TCC487\_19.tif





200 nm



Mag = 16.00 K X

EHT = 7.00 kV

Signal A = SE2 Date : 4 Mar 2020

WD = 4.9 mm

File Name = TCC487\_20.tif

